

VACCINE CLINIC CHECK-IN QUESTIONNAIRE



OWNER INFORMATION

P _____
 Last Name _____ First Name _____ Date _____
 Street Address _____ City _____ State _____ Zip _____
 Home/Cell Phone # _____ Email Address: _____

PET INFORMATION (Please Circle)

DOG CAT MALE FEMALE NEUTERED SPAYED A _____
 Pet's Name _____ Age _____ (Years or Months)
 Breed _____ Color/Markings _____
 1. Is your pet currently taking any medication? YES NO If YES, what? _____
 2. Has your pet had an allergic reaction to a vaccine, insect bite or any medication in the past? YES NO If YES, when? _____
 3. Is your pet currently pregnant or nursing? YES NO If YES, when? _____
 4. In the past month, has your pet had any of the following: Coughing, Sneezing, Diarrhea, Not Eating, Vomiting YES NO If YES, when? _____

PLEASE CHECK THE VACCINES DESIRED (If unsure, leave blank)

DOGS

- Nobivac DAPPV - \$25.00
- Bordetella - \$12.00
- Rabies - \$12.00
- Canine Influenza H3N2 - \$20.00
- Deworming (pyrantel pamoate) - \$5.00
- Microchip - \$25.00

CATS

- Nobivac FRCPC - \$15.00
- FeLV - \$15.00
- Rabies - \$12.00
- Deworming (pyrantel pamoate) - \$5.00
- Microchip - \$25.00

OFFICE USE ONLY

TEMP: _____ HR: _____ RR: _____ MM: _____ Hydration Status: _____ Weight (if needed): _____

- 1. General: N NE A _____
- 2. Cardiovascular: N NE A _____
- 3. Respiratory: N NE A _____
- 4. Integument: N NE A _____
- 5. Musculoskeletal: N NE A _____

N= Normal, NE= Not examined, A= Abnormal

- Appears healthy for vaccination
- Limited physical exam at this time

Administrated by: _____

Comments:

Recommendations:

- Booster Vaccines
- Spay/Neuter
- Other _____

Vaccine History

DOGS

DAPPV _____
 Bordetella _____ Rabies _____

CATS

FRCPC _____
 FeLV _____ Rabies _____

NEEDS SCHEDULE (check here)

NEEDS SCHEDULE (check here)

VACCINE CLINIC CHECK-IN QUESTIONNAIRE



DOG VACCINATIONS

DAPPV (Distemper, Adenovirus (I, II), Parvovirus, Parainfluenza): Nobivac® Canine 1-DAPPv vaccine is a modified live virus vaccine for the vaccination of healthy dogs as an aid in the prevention of disease caused by canine distemper virus, adenovirus type 1 (hepatitis) and adenovirus type 2 (respiratory disease), canine parainfluenza virus, and canine parvovirus. The initial dose may be given at 6 weeks or older. Repeat at 3 to 4 week intervals until the dog is 16 weeks of age. Annual revaccination is recommended with one dose.

Bordetella (Kennel Cough): Bordetella vaccine is recommended for use as an aid in the prevention of disease associated with canine adenovirus type 2, canine parainfluenza virus and Bordetella bronchiseptica infection. These agents have been implicated as playing a role in the etiology of the condition known as canine kennel cough. The initial dose may be given at 6 weeks. Annual revaccination with one dose is recommended.

Nobivac® Canine Flu H3N2 - This vaccine has been shown to be effective for the vaccination of healthy dogs 8 weeks of age or older against disease caused by canine influenza virus strain H3N2. A second dose is given 2 to 4 weeks later. A minimum of two doses is required for primary immunization.

Rabies: Rabies vaccine is for vaccination of healthy dogs and cats as an aid in preventing rabies. Dogs and cats must be at least 12 week of age for initial vaccination. Pets with no vaccine history or those receiving the vaccine for the first time will receive a 1 year vaccination. Subsequent revaccination should be every 3 years with a single dose. Rabies vaccination is required by law.

CAT VACCINATIONS

FRPC (Feline Viral Rhinotracheitis, Calicivirus, Panleukopenia, and Chlamydia): Nobivac® Feline 1-HCPCh vaccine is a modified live virus and chlamydia vaccine for the vaccination of healthy cats 9 weeks or older as an aid in the prevention of disease caused by feline rhinotracheitis, calici, and panleukopenia viruses and Chlamydia psittaci. Initial vaccination begins at 9 weeks of age or older. Second vaccination is recommended 3 to 4 weeks following the initial vaccination until 16 weeks of age. Annual revaccination with one dose is recommended.

FeLV (Feline Leukemia Virus): Nobivac® Feline 2-FeLV vaccine is recommended for the vaccination of healthy cats 9 weeks or older as an aid in the prevention of lymphoid tumors caused by, and diseases associated with, feline leukemia virus (FeLV) infection. Vaccination with this product prevents persistent viremia in cats exposed to virulent feline leukemia virus. Two doses are required for primary immunization, 3 to 4 weeks following the initial vaccination.

Rabies: Required by law after 12 weeks of age. (See **Rabies** under **Dog Vaccinations** above).

I, the pet owner, or agent thereof, confirms that all of the information I have indicated on this form is accurate and true to the best of my knowledge. I have read and understood the vaccine clinic information above prior to completing this form. Also, I hereby release The Animal Foundation and all of its employees from any and all claims arising out of or connected with the performance of the selected vaccine(s) or any adverse reactions from vaccinations. I agree that I have not and will not claim any right of compensation from The Animal Foundation.

Signature _____

The Animal Foundation is a non-profit shelter providing refuge for homeless animals in Las Vegas. To help the thousands of homeless pets that come to The Animal Foundation each year,

I would like to make a donation of:

\$1 \$5 \$10 \$20 Other amount: _____ NO